#### Form BD 106 BUILDINGS ORDINANCE

(Chapter 123) Section 42

#### Permit under Section 42

Permit No.	HDP 104/2021		•	
Our Ref. No.	HD(ICU)E3/103(N)AA(21)-D			
To: TAM T			•	
c/o Kan	ayin Consultants Limited			
Unit 06	& 07, 14/F, Tower 1,		•	
Magnet	Place,			•
77-81 C N.T., H.	ontainer Port Road, Kwai Chung, K.	Date:	15 October 2021	
		_		

In exercise of the powers vested in me by section 42 of the Buildings Ordinance, I hereby grant modification of and/or exemption from the provisions of-

## Building (Planning) Regulation 20 and 21

To permit the domestic portion of transitional housing in wholesale-converted school to be treated as non-domestic for the purpose of site coverage and plot ratio calculation.

in respect of the proposed building works/street works at <u>Transitional Housing (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School)</u>, Sam Shing Estate, Tuen Mun, N.T. on (lot no.) <u>TMTL 481</u>

2. This permit is granted subject to the conditions attached in Appendix A.

(YEUNG Kwok-po, Michael) Chief Maintenance Surveyor/ICU

Independent Checking Unit for Building Authority

- (a) The said works are to be carried out in accordance with the plans approved on 15 October 2021 under our Ref. No. <u>HD(ICU)E3/103(N)AA(21)-D</u>.
- (b) The conditions imposed in this paragraph are to be incorporated in the subsequent amendment plans for approval before the Form BA 14 is submitted.
- (c) A checklist of valid Forms BD 106 is to be submitted at the time of the submission of Form BA 14.
- (d) This Permit will expire on 14 October 2023 if the consent to commence the above works is not obtained on or before the specified date or where such consent has been obtained but is deemed to be revoked under section 20(1) of the Buildings Ordinance after the specified date.
- (e) The transitional housing shall be properly used and managed according to the Management Plan submitted on 17 September 2021 and agreed by the Building Authority.
- (f) An annual inspection report to certify that the transitional housing complies with the Management Plan, the conditions imposed in this permit and no alterations or additions have been made to the transitional housing as shown on the approved plans dated 15 October 2021 shall be submitted by an Authorized Person.
- (g) This permit is given in recognition of the letter submitted by the non-profit making organization or social enterprise (NGO) dated 12 October 2021. The undertaking and this permit shall be incorporated into every tenancy agreement between the NGO and the occupants of the transitional housing.
- (h) There shall not be alteration or addition to the transitional housing as shown on the approved plans unless a new permit for the revised layout is obtained.
- (i) The permit will become invalid upon expiry or termination of tenancy between NGO and the owner of the premises. NGO should inform the Independent Checking Unit immediately upon the end of the tenancy and reinstate the premises in accordance with the as-built drawing(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations; and
- (j) In case of contravention of any conditions in this permit, the Building Authority:-
  - (i) may instigate prosecution proceedings under section 40(2) of the Buildings Ordinance and any person convicted of such offences is liable to be a fine at level 6 and to imprisonment for 2 years; and
  - (ii) would reserve the right to serve an order under section 24 of the Buildings Ordinance requiring the reinstatement of the concerned flat in accordance with the approved plan(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations.

## Form BD 106

#### **BUILDINGS ORDINANCE**

(Chapter 123) Section 42

#### Permit under Section 42

Permit No.	HDP 105/2021		_	
Our Ref. No.	HD(ICU)E3/103(N)AA(21)-D	•		
To: TAM T		•		• .
c/o Kan	nyin Consultants Limited			
Unit 06	& 07, 14/F, Tower 1,	•		
Magnet	Place,			
	ontainer Port Road, Kwai Chung,		Date:	15 October 2021
N.T., H.	K.	•		

In exercise of the powers vested in me by section 42 of the Buildings Ordinance, I hereby grant modification of and/or exemption from the provisions of-

## Building (Planning) Regulation 25(1)a

To exempt the domestic portion of the transitional housing in wholesale-converted school from the provision of open space.

in respect of the proposed building works/street works at <u>Transitional Housing (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School)</u>, Sam Shing Estate, Tuen Mun, N.T. on (lot no.) <u>TMTL 481</u>

2. This permit is granted subject to the conditions attached in Appendix B.

(YEUNG Kwok-po, Michael) Chief Maintenance Surveyor/ICU

Independent Checking Unit for Building Authority

- (a) The said works are to be carried out in accordance with the plans approved on 15 October 2021 under our Ref. No. <u>HD(ICU)E3/103(N)AA(21)-D</u>.
- (b) The conditions imposed in this paragraph are to be incorporated in the subsequent amendment plans for approval before the Form BA 14 is submitted.
- (c) A checklist of valid Forms BD 106 is to be submitted at the time of the submission of Form BA 14.
- (d) This Permit will expire on 14 October 2023 if the consent to commence the above works is not obtained on or before the specified date or where such consent has been obtained but is deemed to be revoked under section 20(1) of the Buildings Ordinance after the specified date.
- (e) The transitional housing shall be properly used and managed according to the Management Plan submitted on 17 September 2021 and agreed by the Building Authority.
- (f) An annual inspection report to certify that the transitional housing complies with the Management Plan, the conditions imposed in this permit and no alterations or additions have been made to the transitional housing as shown on the approved plans dated 15 October 2021 shall be submitted by an Authorized Person.
- (g) This permit is given in recognition of the letter submitted by the non-profit making organization or social enterprise (NGO) dated 12 October 2021. The undertaking and this permit shall be incorporated into every tenancy agreement between the NGO and the occupants of the transitional housing.
- (h) There shall not be alteration or addition to the transitional housing as shown on the approved plans unless a new permit for the revised layout is obtained.
- (i) The permit will become invalid upon expiry or termination of tenancy between NGO and the owner of the premises. NGO should inform the Independent Checking Unit immediately upon the end of the tenancy and reinstate the premises in accordance with the as-built drawing(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations; and
- (j) In case of contravention of any conditions in this permit, the Building Authority:-
  - (i) may instigate prosecution proceedings under section 40(2) of the Buildings Ordinance and any person convicted of such offences is liable to be a fine at level 6 and to imprisonment for 2 years; and
  - (ii) would reserve the right to serve an order under section 24 of the Buildings Ordinance requiring the reinstatement of the concerned flat in accordance with the approved plan(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations.

## Form BD 106 BUILDINGS ORDINANCE

(Chapter 123)

Section 42

#### Permit under Section 42

Permit No.	HDP 107/2021	•	•	
Our Ref. No.	HD(ICU)E3/103(N)AA(21)-D			
To: TAM T				
c/o Kar	nyin Consultants Limited	•		
Unit 06	6 & 07, 14/F, Tower 1,			•
Magnet	t Place,			
77-81 (	Container Port Road, Kwai Chung,		Date:	15 October 2021
N.T., H	.K.			

In exercise of the powers vested in me by section 42 of the Buildings Ordinance, I hereby grant modification of and/or exemption from the provisions of-

### Building (Planning) Regulation 35A

To permit the non-provision of gas aperture in bathroom.

in respect of the proposed building works/street works at <u>Transitional Housing (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School)</u>, Sam Shing Estate, Tuen Mun, N.T. on (lot no.) <u>TMTL 481</u>

2. This permit is granted subject to the conditions attached in Appendix D.

(YEUNG Kwok-po, Michael)
Chief Maintenance Surveyor/ICU

Independent Checking Unit for Building Authority

- (a) Supply of gas as defined under Gas Safety Ordinance (Cap 51) will not be provided to the domestic part of the building.
- (b) A restriction on the installation of gas supply to domestic part of the building and delivery of LPG cylinders to domestic units of the buildings will be imposed in the tenancy agreement.
- (c) A condition will be imposed in the tenancy agreement that tenants shall provide their own electric water heater and induction cooker if an electric water heater and an induction cooker are not provided by the NGO before renting out the unit.
- (d) The said works are to be carried out in accordance with the plans approved on 15 October 2021 under our Ref. No. <u>HD(ICU)E3/103(N)AA(21)-D</u>.
- (e) The conditions imposed in this paragraph are to be incorporated in the subsequent amendment plans for approval before the Form BA 14 is submitted.
- (f) A checklist of valid Forms BD 106 is to be submitted at the time of the submission of Form BA 14.
- (g) This Permit will expire on 14 October 2023 if the consent to commence the above works is not obtained on or before the specified date or where such consent has been obtained but is deemed to be revoked under section 20(1) of the Buildings Ordinance after the specified date.
- (h) The transitional housing shall be properly used and managed according to the Management Plan submitted on 17 September 2021 and agreed by the Building Authority.
- (i) An annual inspection report to certify that the transitional housing complies with the Management Plan, the conditions imposed in this permit and no alterations or additions have been made to the transitional housing as shown on the approved plans dated 15 October 2021 shall be submitted by an Authorized Person.
- (j) This permit is given in recognition of the letter submitted by the non-profit making organization or social enterprise (NGO) dated 12 October 2021. The undertaking and this permit shall be incorporated into every tenancy agreement between the NGO and the occupants of the transitional housing.
- (k) There shall not be alteration or addition to the transitional housing as shown on the approved plans unless a new permit for the revised layout is obtained.

- (l) The permit will become invalid upon expiry or termination of tenancy between NGO and the owner of the premises. NGO should inform the Independent Checking Unit immediately upon the end of the tenancy and reinstate the premises in accordance with the as-built drawing(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations; and
- (m) In case of contravention of any conditions in this permit, the Building Authority:-
  - (i) may instigate prosecution proceedings under section 40(2) of the Buildings Ordinance and any person convicted of such offences is liable to be a fine at level 6 and to imprisonment for 2 years; and
  - (ii) would reserve the right to serve an order under section 24 of the Buildings Ordinance requiring the reinstatement of the concerned flat in accordance with the approved plan(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations.

#### Form BD 106 BUILDINGS ORDINANCE

(Chapter 123) Section 42

#### Permit under Section 42

Permit No.	HDP 109/2021			•
Our Ref. No.	HD(ICU)E3/103(N)AA(21)-D	<del></del>		
To: TAM T	in-sui			
c/o Kar	nyin Consultants Limited			
Unit 06	& 07, 14/F, Tower 1,			
Magnet	Place,			
77-81 (	Container Port Road, Kwai Chung,		Date:	15 October 2021
N.T., H	.K.			

In exercise of the powers vested in me by section 42 of the Buildings Ordinance, I hereby grant modification of and/or exemption from the provisions of-

#### **Building (Planning) Regulation 45**

To permit the non provision of kitchen

in respect of the proposed building works/street works at <u>Transitional Housing (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School)</u>, Sam Shing Estate, Tuen Mun, N.T. on (lot no.) <u>TMTL 481</u>

2. This permit is granted subject to the conditions attached in Appendix F.

YEUNG Kwok-po, Michael)
Chief Maintenance Surveyor/ICU

Independent Checking Unit for Building Authority

<sup>\*</sup>Delete whichever is inapplicable

- (a) No cooking with naked flame inside the premises.
- (b) Provision of a communal pantry or a pantry in each flat with an openable window.
- (c) FSD approved standalone smoke or heat detector shall be provided at s strategic location near the counter top to the satisfaction of the Building Authority.
- (d) The said works are to be carried out in accordance with the plans approved on 15 October 2021 under our Ref. No. <u>HD(ICU)E3/103(N)AA(21)-D</u>.
- (e) The conditions imposed in this paragraph are to be incorporated in the subsequent amendment plans for approval before the Form BA 14 is submitted.
- (f) A checklist of valid Forms BD 106 is to be submitted at the time of the submission of Form BA 14.
- (g) This Permit will expire on 14 October 2023 if the consent to commence the above works is not obtained on or before the specified date or where such consent has been obtained but is deemed to be revoked under section 20(1) of the Buildings Ordinance after the specified date.
- (h) The transitional housing shall be properly used and managed according to the Management Plan submitted on 17 September 2021 and agreed by the Building Authority.
- (i) An annual inspection report to certify that the transitional housing complies with the Management Plan, the conditions imposed in this permit and no alterations or additions have been made to the transitional housing as shown on the approved plans dated 15 October 2021 shall be submitted by an Authorized Person.
- (j) This permit is given in recognition of the letter submitted by the non-profit making organization or social enterprise (NGO) dated 12 October 2021. The undertaking and this permit shall be incorporated into every tenancy agreement between the NGO and the occupants of the transitional housing.
- (k) There shall not be alteration or addition to the transitional housing as shown on the approved plans unless a new permit for the revised layout is obtained.
- (1) The permit will become invalid upon expiry or termination of tenancy between NGO and the owner of the premises. NGO should inform the Independent Checking Unit immediately upon the end of the tenancy and reinstate the premises in accordance with the as-built drawing(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations; and

- (m) In case of contravention of any conditions in this permit, the Building Authority:-
  - (i) may instigate prosecution proceedings under section 40(2) of the Buildings Ordinance and any person convicted of such offences is liable to be a fine at level 6 and to imprisonment for 2 years; and
  - (ii) would reserve the right to serve an order under section 24 of the Buildings Ordinance requiring the reinstatement of the concerned flat in accordance with the approved plan(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations.

# Form BD 106 BUILDINGS ORDINANCE (Chapter 123)

Section 42

#### **Permit under Section 42**

Permit No.	HDP 002/2022		
Our Ref. No.	HD(ICU)E3/103(N)AA(21)-D2		
To: TAM T	in-sui		
c/o Kaı	nyin Consultants Limited		
Unit 06	5 & 07, 14/F, Tower 1,		
Magne	t Place,		
77-81 (	Container Port Road, Kwai Chung,	Date:	7 January 2022
N.T., H	I.K.		

In exercise of the powers vested in me by section 42 of the Buildings Ordinance, I hereby grant modification of and/or exemption from the provisions of-

#### **Building (Planning) Regulation 28A**

To permit the reduction in size of the telecommunications and broadcasting room.

in respect of the proposed building works/street works at <u>Transitional Housing (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School)</u>, Sam Shing Estate, Tuen Mun, N.T. on (lot no.) <u>TMTL 481</u>

2. This permit is granted subject to the conditions attached in Appendix A.

(YEUNG Kwok-po, Michael) Chief Maintenance Surveyor/ICU

Independent Checking Unit for Building Authority

- (a) The said works are to be carried out in accordance with the plans approved on <u>7 January</u> 2022 under our Ref. No. <u>HD(ICU)E3/103(N)AA(21)-D2</u>.
- (b) The conditions imposed in this paragraph are to be incorporated in the subsequent amendment plans for approval before the Form BA 14 is submitted.
- (c) A checklist of valid Forms BD 106 is to be submitted at the time of the submission of Form BA 14.
- (d) This Permit will expire on <u>6 January 2024</u> if the consent to commence the above works is not obtained on or before the specified date or where such consent has been obtained but is deemed to be revoked under section 20(1) of the Buildings Ordinance after the specified date.
- (e) The transitional housing shall be properly used and managed according to the Management Plan submitted on 17 September 2021 and agreed by the Building Authority.
- (f) An annual inspection report to certify that the transitional housing complies with the Management Plan, the conditions imposed in this permit and no alterations or additions have been made to the transitional housing as shown on the approved plans dated 7 January 2022 shall be submitted by an Authorized Person.
- (g) This permit is given in recognition of the letter submitted by the non-profit making organization or social enterprise (NGO) dated 12 October 2021. The undertaking and this permit shall be incorporated into every tenancy agreement between the NGO and the occupants of the transitional housing.
- (h) There shall not be alteration or addition to the transitional housing as shown on the approved plans unless a new permit for the revised layout is obtained.
- (i) The permit will become invalid upon expiry or termination of tenancy between NGO and the owner of the premises. NGO should inform the Independent Checking Unit immediately upon the end of the tenancy and reinstate the premises in accordance with the as-built drawing(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations; and
- (j) In case of contravention of any conditions in this permit, the Building Authority:-
  - (i) may instigate prosecution proceedings under section 40(2) of the Buildings Ordinance and any person convicted of such offences is liable to be a fine at level 6 and to imprisonment for 2 years; and
  - (ii) would reserve the right to serve an order under section 24 of the Buildings Ordinance requiring the reinstatement of the concerned flat in accordance with the approved plan(s) prior to the proposed alteration and addition works or to a state that fully complies with the Buildings Ordinance and its allied regulations.

## **GENERAL NOTES:**

- FIGURES SHOWN IN DRAWINGS ARE STRUCTURAL DIMENSIONS AND IN MILLIMETERS UNLESS OTHERWISE STATED.
- BRICK WORKS AND MASONRY WORKS TO BE BUILT IN CEMENT MORTAR OF 1:3 MIX UNLESS OTHERWISE STATED.
- NON STRUCTURAL CONCRETE TO BE IN 1:2:4 MIX. UNLESS OTHERWISE STATED. MINIMUM CLEAR HEIGHT OF HABITABLE ROOM AND OFFICE FROM FLOOR TO UNDERSIDE OF ANY BEAM AND CEILING ABOVE FLOOR TO BE 2.3M AND 2.5M
- RESPECTIVELY. REQUIREMENTS OF DESIGN MANUAL - BARRIER FREE ACCESS 2008 TO BE COMPLIED.
- DRAINAGE DRAWINGS TO BE SUBMITTED SEPARATELY. ALL LEVELS ARE IN METERS ABOVE PRINCIPAL DATUM.
- ALL PARAPET OR RAILING TO BE 1100mm HIGH ABOVE FINISHED FLOOR LEVEL WITH LOWEST 150mm BUILT SOLID AND COMPLY WITH PNAP APP-110. FIRE RATED DOOR:
- (a) ALL ESCAPE DOOR TO PROTECTED LOBBIES OR REQUIRED STAIRCASES TO HAVE APPROPRIATE NOTICE FIXED TO BOTH SIDES OF THE DOORS TO REMIND BUILDING USERS THAT THE DOOR SHOULD NORMALLY BE KEPT CLOSED.
- (b) ALL FIRE RESISTING DOOR TO PROTECTED LOBBIES OR REQUIRED TO BE PROVIDED ON BOTH SIDES WITH NOTICE "FIRE DOOR TO BE KEPT CLOSED" BOTH IN ENGLISH AND CHINESE AS PER SECTION 14 OF CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011.
- (c) ALL FIRE RESISTING DOOR TO BE CERTIFIED BY A RECOGNIZED LABORATORY AS BEING IN ACCORDANCE WITH BS476:PARTS 20 AND 22:1987 OR AS BS EN STANDARD EQUIVALENT.
- ALL FIRE RESISTING DOORS TO BE SELF-CLOSING. 10. ALL FIRE RESISTING WORK TO BE CONSTRUCTED IN ACCORDANCE WITH THE CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011
- 11. EVERY OPENING FOR THE PASSAGE OF AIR-CONDITIONING DUCTS, VENTILATION DUCTS, ELECTRICAL TRUNKINGS, CONDUITS, PIPES AND WIRES THROUGH A COMPARTMENT WALL OR FLOOR, AND EVERY HOLE IN SUCH A WALL OR FLOOR LEFT AFTER CONSTRUCTION SHALL BE PROTECTED WITH FIRE DAMPERS OR OTHER SUITABLE FORM OF FIRE STOP TO MAINTAIN THE REQUIRED F.R.R. OF THAT WALL OR FLOOR TO BE COMPLIED WITH CLAUSE C8.2 OF CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011.
- 12. ALL ACCESSIBLE RAMPS (1:12) TO BE PROVIDED WITH HANDRAILS ON BOTH SIDES.
- 13. INACCESSIBLE ROOF FOR MAINTENANCE ONLY. 14. ALL EXIT STAIRCASES WILL BE PROVIDED WITH SUFFICIENT LIGHTING AND NON-SLIP FINISH FOR THE CORRIDOR AND WARNING STRIPS FOR THE STEPS OF THE STAIRCASES. 15. THE PROPOSED A&A WORKS SHOWN ON THESE DRAWINGS DO NOT INVOLVE CHANGE TO THE
- (A) BUILDING HEIGHT
- B) SITE COVERAGE
- (C) TOTAL GROSS FLOOR AREA TEMPORARY REFUGE SPACE WITH AN AREA OF NOT LESS THAN 1.5m x 1.5m TO BE COMPLIED WITH CLAUSE B30.1 OF CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011.
- 18. STRUCTURAL PLAN TO BE SUBMITTED SEPARATELY. 19. F.R.R. ENCLOSURE TO NON-EMERGENCY SERVICES IN STAIRCASES TO BE COMPLIED WITH CLAUSE C9.3 OF CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011.
- 20. DOORS INCLUDED ONE LEAF OF A PAIR OF DOUBLE DOORS, WILL HAVE A CLEAR WIDTH OF NOT LESS THAN 800mm. 21. NEW WINDOWS TO BE PROVIDED AND SUBMITTED BY MINOR WORKS (REF. NO.: MWB02203952)
- 22. THE PREMISES WILL NOT BE CARVED OUT FOR SALES.

17. SINGLE STEP DROP LEVEL WILL BE MARKED CLEARLY VISIBLE.

- 23. DEMOLITION OF NON-LOADBEARING PARTITION WALLS TO COMPLY WITH PNAP APP-86. 24. NEW A/C SUPPORTING FRAME TO BE SUBMITTED BY MINOR WORK SUBMISSION (REF NO.: MWB02208980, MWB02208983)
- 25. THE PROPOSED A&A WORKS SHOWN ON THESE DRAWINGS DO NOT RESULT IN ANY ADDITIONAL CFA. 26. FRECTION OF NEW EXTERNAL BLOCK WALL TO BE SUBMITTED BY MINOR WORK SUBMISSION (REF NO.: MWB02204246)
- 27. FOR LIFT INSTALLATION, THERE ARE DEVIATIONS FROM THE MINIMUM DIMENSIONS GIVEN IN TABLE 1 IN CODE OF PRACTICE FOR BUILDING WORKS FOR LIFTS AND ESCALATORS 2011. A LETTER REF. EL-GL-220108 DATED 06.01.2022 FROM REGISTERED LIFT ENGINEER AUTHORIZED BY THE REGISTERED CONTRACTOR SIGMA ELEVATOR (HK) LTD. WAS RECEIVED CONFIRMING
- (A) THE LIFT INSTALLATIONS CAN BE ACCOMMODATED IN EXISTING MACHINE ROOM AND LIFT WELL. (B) ANY FUTURE MAINTENANCE, REPAIR, MAJOR RENOVATION, REPLACEMENT, EXAMINATION AND TESTING OF LIFT CAN BE CARRIED OUT IN EXISTING MACHINE ROOM SAFELY AND WITHOUT
- (C) THE LIFT INSTALLATIONS ARE IN FULL COMPLIANCE WITH THE CODE OF PRACTICE ON THE DESIGN AND CONSTRUCTION OF LIFTS AND ESCALATORS ISSUED UNDER THE LIFTS AND
- ESCALATORS (SAFETY) ORDINANCE.
- 28. NEW R.C. PLINTHS FOR WATER PUMPS IN PUMP ROOMS TO BE SUBMITTED BY MINOR WORK SUBMISSION (REF NO.: MWB02206864) 29. NEW SIGNAGE ON EXTERNAL WALL TO BE SUBMITTED BY MINOR WORK SUBMISSION (REF NO.: MWB02206897

## F.S. NOTES:

#### 1.0 GENERAL

- 1.1 ALL EXISTING FIRE SERVICES PROVISIONS SHALL REMAIN UNCHANGED EXCEPT THOSE AS STATED BELOW.
- 2.0 FIRE HYDRANT AND HOSE REEL SYSTEM
- 2.1 EXISTING FIRE HYDRANT AND HOSE REEL SYSTEM WITH FS WATER TANKS (EFFECTIVE VALUE = 27m2) AND 2 NOS. FIXED FIRE PUMPS LOCATED INSIDE ROOF FS PUMP SHALL BE
- RETAINED AND INDICATED ON PLANS. 2.2 FIRE HYDRANTS SHALL BE PROVIDED AND PROMINENTLY SITED IN AN APPROACH LOBBY TO A REQUIRED STAIRCASE OR REQUIRED STAIRCASE ENCLOSURE AS INDICATED ON PLANS IN ACCORDANCE WITH FSD CIRCULAR LETTER NO. 2/2013.
- 2.3 HOSE REELS SHALL BE MODIFIED TO SUIT THE NEW LAYOUT OF A&A WORKS AS INDICATED ON PLANS AND ENSURE THAT EVERY PART OF THE BUILDING CAN BE REACHED BY A LENGTH OF NOT MORE THAN 30M HOSE REEL TUBING.
- 2.4 LOCATIONS OF EXISITING FS INLETS AND NEW FS INLET SHALL BE PROVIDED AS INDICATED ON PLANS. ALL FS INLETS ARE INTER-CONNECTED. 2.5 ONE MANUAL ACTUATING POINT & ONE AUDIO WARNING DEVICE SHALL BE PROVIDED FOR EACH HOSE REEL POINT. THIS MANUAL ACTUATING POINT SHALL FACILITATE THE FIRE PUMP ACTUATION & AUDIO/VISUAL WARNING ALARM INITIATION.

## 3.0 SPRINKLER SYSTEM

- 3.1 NEW SPRINKLER SYSTEM SHALL BE PROVIDED FOR RESIDENTIAL FLATS WITH PANTRY COUNTER DESIGN IN ACCORDANCE WITH LPC RULES FOR AUTOMATIC SPRINKLER INSTALLATIONS INCORPORATING BS EN 12845:2015, FSD CIRCULAR LETTER NO. 5/2020 & 4/96 AND TECHNICAL GUIDANCE (APPLICATION OF LOSS PREVENTION COUNCIL RULES FOR AUTOMATIC SPRINKLER INSTALLATIONS 2015 INCORPORATING BS EN 12845 IN HONG KONG) AS THE FIRE SAFETY MEASURES AS STATED IN CODE OF PRACTICE FOR SAFETY IN BUILDINGS 2011. 3.2 THE SPRINKLER SYSTEM SHALL BE PROVIDED BY IMPROVISED SPRINKLER SYSTEM WHICH IS CONNECTED FROM EXISTING FIRE HYDRANT/HOSE REEL SYSTEM IN ACCORDANCE WITH
- FSD CIRCULAR LETTER NO. 4/96. 3.3 THE SPRINKLER SYSTEM IS CLASSIFIED AS ORDINARY HAZARD GROUP 1 (OH1).
- 3.4 NEW SPRINKLER PUMPS (ONE DUTY AND ONE STANDBY) SHALL BE PROVIDED AS INDICATED ON PLANS. 3.5 LOCATION OF SPRINKLER INLET AND SPRINKLER CONTROL VALVE SHALL BE PROVIDED AS INDICATED ON PLANS.
- 3.6 A MAIN FIRE ALARM CONTROL AND ANNUNCIATION PANEL SHALL BE PROVIDED FOR THE SPRINKLER SYSTEMS AND TO BE LOCATED INSIDE SPRINKLER CONTROL VALVE ROOM AT G/F TO INDICATE THE FLOOR / ZONE UPON THE SPRINKLER OPERATED.
- 4.0 FIRE DETECTION AND FIRE ALARM SYSTEM
- 4.1 EXISTING MANUAL FIRE ALARM SYSTEM TO BE RETAINED AND MODIFIED TO SUIT A&A WORKS IN ACCORDANCE WITH THE BS 5839-1:2002 + A2:2008 AND FSD CIRCULAR LETTER NO. 1/2009 & 3/2010. 4.2 NEW FIRE DETECTION SYSTEM SHALL BE PROVIDED FOR THE RESIDENTIAL FLATS WITH PANTRY COUNTER DESIGN ONLY AS STATED IN CLAUSE C13.4 IN CODE OF PRACTICE FOR
- FIRE SAFETY IN BUILDINGS 2011. NO FIRE DETECTION SYSTEM WILL BE PROVIDED FOR ALL E&M PLANT ROOM AS THE ENTIRE BUILDING IN RESIDENTIAL USE. 4.3 NEW VISUAL FIRE ALARM SYSTEM (FLASHING RED LIGHT SHALL BE PROVIDED IN ACCORDANCE WITH BARRIER FREE ACCESS 2008 AND FSD CIRCULAR LETTER NO. 2/2012. 4.4 A MAIN FIRE ALARM CONTROL AND ANNUNCIATION SYSTEM PANEL SHALL BE PROVIDED INSIDE SPRINKLER CONTROL VALVE ROOM AT G/F AS INDICATED ON PLANS.
- 4.5 ALL FIRE ALARM SIGNAL INCLUDING THE ALARM FROM MANUAL FIRE ALARM SYSTEM AND SPRINKLER SYSTEM SHALL BE TRANSMITTED TO THE FIRE SERVICES COMMUNICATION CENTRE VIA A DIRECT TELEPHONE LINK FROM THE MAIN FIRE ALARM CONTROL PANELS.
- 5.0 PORTABLE HAND-OPERATED APPROVED APPLIANCES
- 5.1 PORTABLE FIRE EXTINGUISHERS WITH SPECIFIED TYPE SHALL BE PROVIDED AS INDICATED ON PLANS.
- 6.0 EMERGENCY LIGHTING AND EXIT SIGN
- 6.1 EMERGENCY LIGHTING SHALL BE PROVIDED TO THE ENTIRE BUILDING IN ACCORDANCE WITH BS 5266: PART 1:2011 & BS EN 1838:2013.
- 6.2 EMERGENCY LIGHTING WITH BATTERY BACKUP ONLY SHALL BE PROVIDED TO THE STAIRCASE AND COMMON AREAS SUCH AS OPEN CORRIDOR. 6.3 NO EMERGENCY LIGHTING WILL BE PROVIDED FOR RESIDENTIAL FLAT UNITS, CABLE DUCT, PIPE DUCT, TELEPHONE DUCT AND SERVICE DUCT.
- 6.4 SUFFICIENT DIRECTIONAL AND EXIT SIGNS SHALL BE PROVIDED TO ENSURE ALL EXIT ROUTES FROM ANY PUBLIC AREAS TO STAIRCASES ARE CLEARLY INDICATED AND COMPLIED WITH FSD CIRCULAR LETTER NO. 5/2008. THESE SIGNS SHALL BE CONNECTED TO BOTH MAINS POWER SUPPLY AND SECONDARY BATTERY IN ACCORDANCE WITH BS5266-1:2011.
- 7.0 SECONDARY FLECTRICAL SUPPLY 7.1 EXISTING SECONDARY ELECTRICAL SUPPLY TEE-OFF BEFORE MAIN SWITCH SHALL BE RETAINED TO MAINTAIN OPERATION OF THE FIRE SERVICE SYSTEMS IN THE EVENT OF NORMAL
- POWER FAILURE. EMERGENCY GENERATOR WILL NOT BE PROVIDED.
- 8.0 VENTILATION / AIR CONDITIONING CONTROL SYSTEM 8.1 VENTILATION / AIR CONDITIONING CONTROL SYSTEM SHALL BE PROVIDED, AND IT SHALL STOP MECHANICALLY INDUCED AIR MOVEMENT WITHIN DESIGNATED FIRE


- 9.0 OTHER FSD REQUIREMENTS 9.1 ALL LININGS FOR ACOUSTIC AND THERMAL INSULATION PURPOSES IN DUCTING AND CONCEALED LOCATIONS SHALL BE OF CLASS 2 RATE OF SURFACE
- 9.2 ALL LININGS FOR ACOUSTIC, THERMAL INSULATION AND DECORATIVE PURPOSES WITHIN PROTECTED MEANS OF ESCAPE SHALL BE OF CLASS 1 OR CLASS 2 RATE OF SURFACE SPREAD OF FLAME AS PER BRITISH STANDARD 476:PART 7 OR ITS INTERNATIONAL EQUIVALENT, OR BE BROUGHT UP TO THAT STANDARD BY USE OF AN APPROVED FIRE RETARDANT


SPREAD OF FLAME AS PER BRITISH STANDARD 476:PART 7 OR ITS INTERNATIONAL EQUIVALENT, OR BE BROUGHT UP TO THAT STANDARD BY USE OF AN APPROVED FIRE RETARDANT


PRODUCT. 9.3 ANY INTENDED STORAGE OR USE OF DANGEROUS GOODS AS DEFINED IN CHAPTER 295 OF THE LAWS OF HONG KONG SHOULD BE NOTIFIED TO THE DIRECTOR OF FIRE SERVICES.

## 10.0 FIRE SAFETY PROVISIONS FOR RESIDENTIAL FLATS WITH PANTRY COUNTER DESIGN

- 10.1 FIRE SAFETY PROVISIONS FOR RESIDENTIAL FLATS WITH PANTRY COUNTER DESIGN SHALL COMPLY WITH CLAUSE C13.4 IN CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 10.2 FIRE DETECTION SYSTEM - ADDRESSABLE SMOKE DETECTOR(S) FITTED WITH SOUNDER BASE SHALL BE PROVIDED INSIDE SUBJECT FLAT WITH PANTRY COUNTER (EXCLUDE BATHROOM). THE ALARM
- SIGNAL OF THE SMOKE DETECTORS SHOULD BE CONNECTED TO THE LOCAL FIRE SERVICES CONTROL PANEL OF THE BUILDING AND SHOULD NOT BE LINKED TO THE FIRE SERVICES COMMUNICATION CENTRE -ADDRESSABLE SMOKE DETECTOR(S) SHALL BE PROVIDED AT THE COMMON AREA OUTSIDE THE SUBJECT FLAT(S) WITH PANTRY COUNTER (EXCLUDE STAIRCASES AND STAIRCASE LOBBIES). THE ALARM SIGNAL OF THE SMOKE DETECTORS SHOULD BE CONNECTED TO THE LOCAL FIRE SERVICES CONTROL PANEL, THE COMMON FIRE ALARM SYSTEM OF
- THE BUILDING AND THE FIRE SERVICES COMMUNICATION CENTRE. 10.3 SPRINKLER SYSTEM -SPRINKLER HEAD(S) SHALL BE PROVIDED TO COVER THE NOTIONAL PANTRY COUNTER AREA. THE ALARM SIGNAL OF THE SYSTEM SHOULD BE CONNECTED TO THE LOCAL FIRE SERVICES CONTROL PANEL. THE COMMON FIRE ALARM SYSTEM OF THE BUILDING AND THE FIRE SERVICES COMMUNICATIONS CENTRE.
- 10.4 NEW PANTRY COUNTER WITH SINK IS EQUIVALENT TO OPEN KITCHEN AS INDICATED ON PLANS. 10.5 THE CONDITION STATED IN CLAUSE F5.8 IN CODE OF PRACTICE FOR FIRE SAFETY IN BUILDINGS 2011 SHALL BE INCORPORATED INTO THE FIRE SAFETY MANAGEMENT PLAN (FSMP) AND DEED OF MUTUAL COVENANT (DMC). THE AUTHORZIED PERSON IS RESPONSIBLE FOR ENSURING THAT FINALIZED FSMP FOR RESIDENTIAL FLATS WITH OPEN KITCHEN ARE ENDORSED
- BY BD / FSD BEFORE FSI ACCEPTANCE INSPECTION. 10.6 A FULL HEIGHT WALL HAVING AN F.R.R. OF NOT LESS THAN -/30/30 WOULD BE PROVIDED ADJACENT TO THE FLAT EXIT DOOR. THE WIDTH WOULD NOT BE LESS THAN 600mm.







LEGEND

— SUBMISSION AREA

DOOR SCHEDULE H.W. ACCESS PANEL WITH F.R.R. -/60/60

- 800+800mm(W) DOUBLE LEAF F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH SMOKE SEAL AND VISION PANEL 900mm(W) SINGLE LEAF DOOR
- F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH SMOKE SEAL 850mm(w) SINGLE LEAF DOOR F.R.R.-/60/60 SELF CLOSING H.W. DOOR
- 850mm(w) SINGLE LEAF DOOR F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH VISION PANEL, SMOKE SEAL AND DEAD BOLT

WITH SMOKE SEAL AND DEAD BOLT

- 800mm+600mm(W) DOUBLE LEAF DOOR F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH SMOKE SEAL AND VISION PANEL 1050mm(W) SINGLE LEAF DOOR
- F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH SMOKE SEAL AND VISION PANEL 1050mm(W) SINGLE LEAF DOOR F.R.R.-/60/60 SELF CLOSING H.W. DOOR WITH SMOKE SEAL AND
- 800+800mm(W) DOUBLE LEAF SELF CLOSING METAL DOOR

VISION PANEL

FLOOR

1/F


3/F

- 800+800mm(W) DOUBLE LEAF SELF CLOSING METAL DOOR WITH PANIC SAFETY OPERATED FROM INSIDE (COMPLIED WITH C.O.P. FIRE SAFETY IN BUILDING 2011 CLAUSE B13.2)
- 1300mm(W) SINGLE LEAF SELF CLOSING METAL DOOR WITH PANIC SAFETY OPERATED FROM INSIDE (COMPLIED WITH C.O.P. FIRE SAFETY IN BUILDING 2011 CLAUSE B13.2)
- 800+600mm(W) DOUBLE LEAF SELF CLOSING METAL DOOR WITH PANIC SAFETY OPERATED FROM INSIDE (COMPLIED WITH C.O.P. FIRE SAFETY IN BUILDING 2011 CLAUSE B13.2)


- 600+600mm(W) DOUBLE LEAF DOOR SELF CLOSING H.W. DOOR WITH F.R.R. -/60/60
  - 850mm(W) SINGLE LEAF DOOR SELF CLOSING H.W. DOOR WITH DEAD BOLT
  - 850mm(W) SINGLE LEAF DOOR SELF CLOSING H.W. DOOR WITH VISION PANEL AND DEAD BOLT
  - 850mm(w) SINGLE LEAF DOOR SELF CLOSING METAL DOOR WITH DEAD BOLT
- 850mm(w) SINGLE LEAF DOOR F.R.R.-/120/120 SELF CLOSING H.W. DOOR WITH SMOKE SEAL AND DEAD BOLT
- 700mm(W) SINGLE LEAF F.R.R. -/60/60 SELF CLOSING H.W. DOOR
- 600mm(W) H.W. ACCESS PANEL WITH F.R.R.
- 800mm+800mm(W) GLASS DOOR
- 1050mm(W) SLIDING DOOR WITH LOUVRE 600mm(W) FOLDING DOOR WITH LOUVRE
- AND GRADIENT NOT STEEPER THAN 1:10) STRUCTURAL FLOOR LEVEL FINISHED FLOOR LEVEL MECHANICAL VENTILATION & ARTIFICIAL MVAL LIGHTING ARTIFICIAL LIGHTING AL 1500mm x 1500mm FRESH AIR INTAKE EXHAUST AIR OUTLET TEMPORARY REFUGE SPACES
  - CAT LADDER
  - ACCESSIBLE LIFT
- 900mm(W) H.W. DOOR WITH LOUVRE

SCHEDULE OF MEANS OF ESCAPE

TOTAL CAPACITY OF 1/F TO 6/F 641 (PERSON)



					UDIDUE ELOSO	NO. OF FF	DEBOUNG	MIN. NO. OF			MIN. TOTAL	WIDTH (mm)			MIN. WIDTH O	F EACH (mm)	
R	USE	WING	USE CLASSIFICATION	FACTOR	USABLE FLOOR AREA (m²)	NO. OF FE	-ENJONJ	(FROM ROC	M/STOREY)	EXIT	DOOR	EXIT F	Route	EXIT	DOOR	EXIT	ROUTE
1						PER USE	PER WING	REQUIRED	PROVIDED	REQUIRED	PROVIDED	REQUIRED	PROVIDED	REQUIRED	PROVIDED	REQUIRED	PROVIDED
	UNIT G01-G03	/	1b	4,5	75.15	17	-/	1	1	***		-	-	750	900	1050	1050
-	ACTIVITY ROOM 01		5d	3	53.00	18		and the same of th		and the second s	<del>245</del> 0 —		2100	750		1050	1050
	ACTIVITY ROOM 02	/_	5d	3	25.68				****	en announishtehirthill/anti-				<del>7</del> 50	900	1050	1950
	ACTIVITY ROOM 03	_/	5d		75.34	26	<del>                                     </del>							756	900-	1050	1050
-	ACTIVITY ROOM 04	/	5d	3	48.37	17	<del>  /</del>	1					- partition	750	900	1050	1050
	ACTIVITY ROOM 01-04		5d	3	228.97	77	/	2	2	1750	2450	2100	2100	850	1050	1050	1050
	OFFICE		<b>4</b> a	9	49.84	6		1	1	-	-	2100	-	750	900	1050	1050
	UNIT 101113	Α	1b	4.5	339.08	76	76	2	2	1750	2100	2100	2100	850	1050	1050	1310
	UNIT 115-118	В	1b	4.5	78.24	18	04	1	2		2100	2100	2100	850	1050	1050	1300
Ī	STORE ROOM 2	В	<b>4</b> a	9	26.34	3	21	1	4	_	2100	2100	2100	000	1050	1050	1300
		<del> </del>			·	TOTAL OF 1/F	97	2	3	1750	3150	2100	2100	850	1050	1050	1300
	UNIT 201-213	Α	1b	4.5	339.08	76	76	2	2	1750	2100	2100	2100	850	1050	1050	1310
ŀ	UNIT 215-220	В	1b	4.5	125.67	28	28	1	2		2100	2100	2100	850	1050	1050	1300
ŀ		<del> </del>				TOTAL OF 2/F	104	2	3	1750	3150	2100	2100	850	1050	1050	1300
	UNIT 301-313	Α	1b	4.5	339.08	76	76	2	2	1750	2100	2100	2100	850	1050	1050	1310
	UNIT 315-320	В	1b	4.5	125.67	28	28	1	2		2100	2100	2100	850	1050	1050	1300
		<u> </u>			·	TOTAL OF 3/F	104	2	3	1750	3150	2100	2100	850	1050	1050	1300
	UNIT 401-414	Α	1b	4.5	364.94	82	82	2	2	1750	2100	2100	2100	850	1050	1050	1310
	UNIT 415-421	В	1b	4.5	125.67	28	28	1	2		2100	2100	2100	850	1050	1050	1300
Ì					<del> </del>	TOTAL OF 4/F	110	2	3	1750	3150	2100	2100	850	1050	1050	1300
	UNIT 501-514	Α	1b	4.5	364.94	82	82	2	2	1750	2100	2100	2100	850	1050	1050	1310
	UNIT 515-521	В	1b	4.5	125.67	, 28	28	1	2		2100	2100	2100	850	1050	1050	1300
<u>.</u>		<u> </u>			<u> </u>	TOTAL OF 5/F	110	2	3	1750	3150	2100	2100	850	1050	1050	1300
	UNIT 601-614	Α	1b	4.5	365.05	81	81	2	2	1750	2100	2100	2100	850	1050	1050	1310
ļ	UNIT 615-621	В	1b	4.5	125.67	28	28	1	2	_	2100	2100	2100	850	1050	1050	1300
-		<u> </u>				TOTAL OF 6/F	109	2	3	1750	3150	2100	2100	850	1050	1050	1300



BLOCK WALL WITH F.R.R. -/60/60 BLOCK WALL WITH F.R.R. -/30/30 BLOCK WALL WITH F.R.R. -/120/120

EXISTING SLAB TO BE UPGRADED TO F.R.R. 120/120/120 (CEILING AND FLOOR) CONCRETE SLAB (LIGHTER WASH) CONCRETE (PLAIN OR REINFORCED)

METAL WORK OR STEEL SANITARY FITTINGS

> EMERGENCY VEHICULAR ACCESS PLASTER OR CEMENT RENDERING FIBERGLASS FIRE WATER TANK DRAINAGE COVER HOLES NOT

EXCEED 20mm X 20mm

NEW WINDOW MARK

LEGEND FOR FIRE SERVICES:

O CO2F.E. 45KG FIRE EXTINGUISHER O F.E.19LH20 FIRE EXTINGUISHER

FIRE HYDRANT

H.R.

FS INLET DIRECTIONAL EXIT SIGN

NOTE: DEMOLITION WORKS/ DELETION OF APPROVED WORK UNDERLINE FOR REVISION


HOSE REEL

NON-SUBMISSION AREA

SUBMISSION AREA

BOUNDARY LINE

Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized persor registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.



12mlin In TAM TIN SUI B. Arch. B.A. (A.S.) HKIA

TO THE APPROVED PLAN DATED 16 SEP 2022

**AMENDMENT** RECORD PLAN

'Y:\Acad1. Dwg\The Salvation Army 救世軍\729 — Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School\ICU Submission\TSA — GP-01-05 & 07...Final Amendment (20220824).dwg

| ICU\_REF. \_ : HD(ICU)E3/103(N)AA(21) FSD REF. : FP 8/10568 Pt.II

 The drawing & design are copyright and no portion may be reproduced without the writter permission of the Architect. Use written dimensions or grid line Measurements to existing work to be checked 3. This drawing is to be read in conjunction with the Architects specification & condition

4. Drawing not showing the last revisions below are to be cancelled.

THE WORKS SHOWN ON THESE PLANS ARE TYPE II WORKS (BUILDING A&A) IN RESPECT OF WHICH CONSENT IS APPLIED FOR THE PURPOSE OF FAST TRACK CONSENT APPLICATION UNDER REGULATION 33 OF THE BUILDING (ADMINISTRATION) REGULATIONS.

C 08-2022 GBP AMENDMENT B 07-2022 GBP AMENDMENT A 12-2021 GBP AMENDMENT 0 09-2021 GBP SUBMISSION

DESCRIPTIONS:

NO.: DATE: **REVISIONS:** 



UTHORIZED PERSON CONSULTANTS LIMITED TAM TIN SUI BUILDING SERVICES ENGINEER

<u>EGISTERED STRUCTURAL ENGINEER</u>

ARTHUR YUNG AND ASSOCIATES COMPANY LTD. 容亨達工程師事務所

QUANTITY SURVEYOR

BILAT REAL Plus (Chantily Surprise Risk Managemer Office E1, 29/F., To Place, 10 Shing Tip Street, Swun Torig, Kowia Tel: 8702 1982 email: interferent controls website: weptgare.com.

SIGNED NAME 08-2021 ESIGNED KCL ΚT 08-2021 CHECKED 08-2021 KL. PPROVED : 08-2021

PROJECT BUILDING (A&A) WORKS CONVERSION OF EX-SALVATION ARMY SAM SHING CHUEN LAU NG YING SCHOOL TO TRANSITIONAL HOUSING AT SAM SHING ESTATE, TUEN MUN, NEW TERRITORIES

THIS RECORD PLAN IS IDENTICAL

JOB NO. : 729

DRAWING TITLE :

AND LEGENDS


GP-01


NOTES, SITE PLAN,

DATE: 08-2021 REV. : SCALE : DRAWING NO. :

SCHEDULES, BLOCK PLAN

N.T.S.





		WINDOW	AREA REQUIRED		WINDOW ARI	EA PROVIDED
ROOM	U.F.A. (m2)	GLAZED (m2) (U.F.A. X 1/10)	OPENABLE (m2) (U.F.A. X 1/10)	WINDOW TYPE	GLAZED (m2)	OPENABLE (m.
DFFICE (G/F)	52.47	5.247	3.280 (U.F.A. X 1/16)			-
UNIT 01 (G/F)	26.45	2.645	2.645	W1	3.781	3.781
UNIT 02 (G/F)	26.45	2.645	2.645	W1	3.781	3.781
JNIT 03 (G/F)	26.45	2.645	2.645	W1a	3.781	3.781
JNIT 01* (1/F-5/F)	27.26	2.726	2.726	W3b W3c	3.559	2.863
JNIT 02* (1/F-5/F)	27.55	2.755	2.755	W3 W3a	3.559	2.863
UNIT 03 (1/F-5/F)	27.55	2.755	2.755	W3b W3c	3.559	2.863
JNIT 04 (1/F-5/F)	27.55	2.755	2.755	W3 W3a	3.559	2.863
JNIT 05 (1/F-5/F)	27.55	2.755	2.755	W3b W3c	3.559	2.863
JNIT 06 (1/F-5/F)	27.55	2.755	2.755	W3 W3a	3.559	2.863
JNIT 07 (1/F-5/F)	27.26	2.726	2.726	W3 W3a	3.559	2.863
JNIT 08 (1/F-5/F)	27.26	2.726	2.726	W3 W3a	3.559	2.863
JNIT 09 (1/F-5/F)	27.55	2.755	2.755	W3b W3c	3.559	2.863
JNIT 10 (1/F-5/F)	27.55	2.755	2.755	W3 W3a	3.559	2.863
UNIT 11 (1/F-5/F)	27.55	2.755	2.755	W3b W3c	3.559	2.863
JNIT 12 (1/F5/F)	27.55	2.755	2.755	W3 W3a	3.559	2.863
JNIT 13* (1/F-5/F)	27.55	2.755	2.755	W3b W3c	3.559	2.863
JNIT 15^ (1/F)	15.34	1.534	1.534	W4	2.398	2.398
JNIT 16^ (1/F)	12.77	1.277	1.277	W4a	2.398	2.398
JNIT 15^ (2/F-5/F)	15.34	1.534	1.534	W4	2.398	2.398
UNIT 16^ (2/F-5/F)	15.34	1.534	1.534	W4a	2.398	2.398
JNIT 17 (1/F-5/F)	21.82	2.182	2.182	W6a	2.567	2.567
JNIT 18 (1/F)	32.34	3.234	3.234	W6 W7	3.658	3.499
JNIT 18 (2/F-5/F)	21.82	2.182	2,182	W6	2.567	2.567
UNIT 19 (2/F-5/F)	21.43	2.143	2.143	W7 W7a	2.345	2.186
JNIT 20 (2/F-5/F)	21.82	2.182	2.182	W6a	2.567	2.567
UNIT 21 (2/F-5/F)	21.82	2.182	2.182	W6	2.567	2.567
UNIT 14 (4/F-5/F)	26.94	2.694	2.694	W3b W3c	3.559	2.863
JNIT 01* (6/F)	27.31	2.731	2.731	W8 W8c W8d	2.907	2.788
JNIT 02* (6/F)	27.58	2.758	2.758	W8 W8a W8b	2.907	2.788
JNIT 03 (6/F)	27.58	2.758	2.758	W8 W8c W8d	2.907	2.788
JNIT 04 (6/F)	27.58	2.758	2.758	W8 W8a W8b	2.907	2.788
JNIT 05 (6/F)	27.58	2.758	2.758	W8 W8c W8d	2.907	2.788
JNIT 06 (6/F)	27.58	2.758	2.758	W8 W8a W8b	2.907	2.788
JNIT 07 (6/F)	27.31	2.731	2.731	W8 W8a W8b	2.907	2.788
JNIT 08 (6/F)	27.31	2.731	2.731	W9 W9a W9b	4.948	3.492
JNIT 09 (6/F)	27.58	2.758	2.758	W9 W9c W9d	4.948	3.492
JNIT 10 (6/F)	27.58	2.758	2.758	W9 W9a W9b	4.948	3.492
JNIT 11 (6/F)	27.58	2.758	2.758	W9 W9c W9d	4.948	3.492
JNIT 12 (6/F)	27.58	2.758	2.758	W9 W9a W9b	4.948	3.492
JNIT 13 (6/F)	27.58	2.758	2.758	W9 W9c W9d	4.948	3.492
JNIT 14 (6/F)	27.31	2.731	2.731	W9 W9c W9d	4.948	3.492
JNIT 15^ (6/F)	15.34	1.534	1.534	W10	4.357	3.333
JNIT 16^ (6/F)	15.34	1.534	1.534	W10a	4.357	3.333
JNIT 17 (6/F)	21.82	2.182	2.182	W13a	4.607	3.540
JNIT 18 (6/F)	21.82	2.182	2.182	W12	4.607	3.540
JNIT 19 (6/F)	21.43	2.143	2.143	W14 W14a	4.268	3.103
JNIT 20 (6/F)	21.82	2.182	2.182	W13a	4.607	3.540
UNIT 21 (6/F)	21.82	2.182	2.182	W12	4.607	3.540

		WINDOW ARE	EA REQUIRED		WINDOW ARE	A PROVIDED
ROOM	U.F.A. (m2)	GLAZED (m2) (U.F.A. X 1/10)	OPENABLE (m2) (U.F.A. X 1/10)	WINDOW TYPE	GLAZED (m2)	OPENABLE (m2)
FEMALE LAVATORY (G/F)	10.54	1.054	1.054	W2	2.232	2.232
UNIT 15 (1/F)	2.64	0.264	0.264	W5	0.416	0.416
UNIT 16 (1/F)	2.64	0.264	0.264	W5a	0.416	0.416
JNIT 15 (2/F-5/F)	2.64	0.264	0.264	W5	0.416	0.416
UNIT 16 (2/F-5/F)	2.64	0.264	0.264	W5a	0.416	0.416
INIT 15 (6/F)	2.64	0.264	0.264	W11	0.916	0.660
JNIT 16 (6/F)	2.64	0.264	0.264	W11a	0.916	0.660

	*FIRE RESISTANCE REQUIREMENT FOR ELEMENT	S OF CONSTRUCTION - WING A (IN A	ACCORDANCE WITH CODE OF PRACT	CE FOR FIRE SAFETY IN BUILDINGS :	2011)
					1. 5. 5.
Т					

					Appendix of					MIN. DIME	NSION FOR ELEMEN	T OF CONSTRUCTION			
5,000	Line	0:400	USABLE FLOOR	COMPARTMENT AREA / WOLLING	F.R.R. REQ		R.C. SLAB			R.C. BEAM		R.	C. COLUMN		R.C. WALL
FLOOR	USE	CLASS	AREA (m²)	COMPARTMENT AREA / VOLUME	(MIN)	THICKNESS (mm)	COVER TO	STEEL (mm)	- THICKNESS (mm)	COVER TO	STEEL (mm)	- THICKNESS (mm)	COVER TO STEEL (mm)	THICKNESS (mm)	COVER TO STEEL (mm)
						mionacoo (mm)	PROVIDED	REQUIRED	THORICOS (IIIII)	PROVIDED	REQUIRED	- IFICANESS (IIIII)	COVER TO STEEL (MIN)	ITIIONNESS (IIIII)	COVER TO STEEL (THIRT)
	ACTIVITY ROOM 01-04-	5d	228.97	NOT EXCEEDING 2,500m²	60	150	**12	20	200	**25	30	200	38	100	25
	OFFICE	4a	49.84	NOT EXCEEDING 10,500m <sup>2</sup>	60	130	7712	20	200	**25	30	200	76 36 10 20 30 10 20 30 30 30 30 30 30 30 30 30 30 30 30 30	100	23
G/F	DOMESTIC	1	75.15	NOT LIMITED	60	150	**12	20	200	**25	30	200	38	100	25
	EL METER ROOM	8	3.00		60	150	**12	20	200	**25	30	200	38	100	25
	WATER METER ROOM	8	2.91	<u>-</u>	60	150	**12	20	200	**25	30	200	38	100	25
1/F	DOMSETIC	1	339.08	NOT LIMITED	60	150	**12	20	200	**25	30	200	38	100	25
2/F - 3/F	DOMESTIC	1	339.08	NOT LIMITED	60	150	**12	20	200	**25	30	200	38	100	25
4/F-5/F	DOMESTIC	1	364.94	NOT LIMITED	60	150	**12	20	200	**25	30	200	38	100	25
6/F	DOMESTIC	1	365.05	NOT LIMITED	60	150	**12	20	200	**25	30	200	38	100	_ 25

REMARKS \* : REFERS TO STRUCTURAL DRAWING (30/S/E-1)

#: EXISTING STRUCTURE TO BE UPGRADED TO F.R.R. 120/120/120.

\*\*: THE FIRE RESISTING RATING/PERIOD SAME AS RECORD PLAN TO BE REMAINED UNCHANGED OR OTHERWISE UPGRADING WORKS WOULD BE CARRIED OUT TO PROVIDE ADEQUATE FRR.

*FIRE RESISTANCE REQUIREMENT FOR	ELEMENTS OF CONSTRUCTION -WING B	(IN ACCORDANCE WITH CODE C	F PRACTICE FOR FIRE	SAFETY IN BUILDINGS	2011)

										MIN. DIME	nsion for elemen	F OF CONSTRUCTION			
			USABLE FLOOR	ACTION AND A VOLUME	F.R.R. REQ	R.C. SLAB			R.C. BEAM		R.C. COLUMN		R.C. WALL		
FLOOR	USE	CLASS	AREA (m²)	COMPARTMENT AREA / VOLUME	(MIN)	THOMESON ( )	COVER TO	STEEL (mm)	THOMESON ( )	COVER TO	STEEL (mm)	THOUSE ( )		T. 110/41/E00 ( )	
						THICKNESS (mm)	PROVIDED	REQUIRED	THICKNESS (mm)	PROVIDED	REQUIRED	THICKNESS (mm)	COVER TO STEEL (mm)	THICKNESS (mm)	COVER TO STEEL (mm)
	EX. TRANSFORMER ROOM		41.37		Control of the Contro		·			40					
·	EX. SWITCH ROOM		18.51		120	150	25	25	200	40	40	300	30	100	25
G/F	#REFUSE STORAGE AND MATERIAL RECOVERY ROOM	8	21.90		p. (c. Combinapolityská)				Territoria	**30					
	TBE ROOM		8.01				Material Control of the Control of t								
	FLUSHING WATER AND CLEANING WATER PUMP ROOM		27.80		60	150	25	20	200	30	30	300	<b>30</b>	100	25
. /	DOMSETIC	1	78.24	NOT LIMITED	60	150	25	20	200	30	30	200	, <b>30</b>	100	25
1/F	STORE ROOM 2	4a	26.34	NOT EXCEEDING 7,000m3	120	150	25	20	200	30	30	300	30	100	25
2/F - 6/F	DOMESTIC	1	125.67	NOT LIMITED	60	150	25	20	200	30	30	200	30	100	25

REMARKS \* : REFERS TO STRUCTURAL DRAWING (SE/6493/P468/DD001) \*\*: THE FIRE RESISTING RATING/PERIOD SAME AS RECORD PLAN TO BE REMAINED UNCHANGED OR OTHERWISE UPGRADING WORKS WOULD BE CARRIED OUT TO PROVIDE ADEQUATE FRR.


SCHEDIII E	OF SANITARY FITMENTS		Mehansindish terselessorana anakan akan akan a				umlatinhe eus consumproduime (deur l'ée ne inn	en en 1979 al 1984 agricologico de la complexión de la complexión de la complexión de la complexión de la comp	dan and puene and one of the A-17 da-191	- 				**************************************
		TOTAL CARACITY (D) PROPORTION OF MALE &	NO. OF SANITARY FITMENT REQUIRED				NO. OF SANITARY FITMENT PROVIDED							
FLOOR	USE	TOTAL CA	APACITY (P)	FEMALE PERSON		W.C.	BASIN	URINAL	SHOWER		w.c.	BASIN	URINAL	SHOWER
	ACTIVITY ROOM -0104-	77			M : 42	2	2	1	***	М	2	2	1	-
0.15	OFFICE	6	84	1:1 F							_			
G/F	STORE ROOM A	1			F: 42	3	2	_	<del>.</del>	F	3	2	-	-
	DOMESTIC		17	1:1	UNISEX	2	2	-	2	UNISEX	3	3	-	3
1/F	DOMESTIC		95	1:1	12 de las companyons	8	8	_	8		15	15	-	15
2/F-3/F	DOMESTIC	.1	04	1:1	Hilly when you and you	10	10	_	10		20	20	_	20
4/F-5/F	DOMESTIC	1	110	1:1	UNISEX	10	10	***	10	UNISEX	21	21	***	21
6/F	DOMESTIC	1	09	1:1		10	10	-	10		21	21		21

DISCHARGE VALUE OF STAIRCASE						
STAIRCASE	NO. OF STOREY SERVED	TOTAL CAPACITY SERVED BY STAIR (PERSON)	CAPACITY	WIDTH OF STAIRCASE (MIN.)	DISCHARGE VALUE OF STAIRCASE	
ST-01	6 (1/F TO 6/F)	240	TOTAL CAPACITY OF WING A: 240	1350	495 (P)	
ST-02	6 (1/F TO 6/F)	321	TOTAL CAPACITY OF WING A: 240 TOTAL CAPACITY OF WING B: 81	1250	430 (P)	
ST-03	6 (1/F TO 6/F)	80	TOTAL CAPACITY OF WING B: 80	1300	430 (P)	
	<u> </u>				TOTAL: 641 < 1355 (PERMITT	

\* : TO BE DEMONSTRATED BY PERFORMANCEO-BASED APPROACH UNDER PNAP APP-130 : NATURAL LIGHTING AND VENTILATION COMPLY WITH B(P)R 31

HOLES SHALL NOT EXCEED 20mm x 20mm METAL COVER TO A CHANNEL SHALL BE FLUSH WITH THE SURFACE OF THE FOOTPATH 

TYPICAL SURFACE CHANNEL COVER DETAIL



RSMRC CALCULATION

 $_{-}$  TOTAL U.F.S. = 3155.77 m2

REFUSE CHAMBER AREA REQUIRED =3219.54 / 347 =9.28 m2 (REQUIRED) < 21.90 m2 (PROVIDED)

THIS RECORD PLAN IS IDENTICAL TO THE APPROVED PLAN DATED 16 SEP 2022



Authorised Person-AP(A)24/89

REFER TO CAD: GP-08 12ml in Im TAM TIM SIJI

TBE ROOM CALCULATION (UNDER PNAP-84)		
	REQUIRED	PROVIDED
NO. OF FLATS IN A BLOCK, N	100 < N < 250	120
MIN. AREA OF TBE ROOM (m²) REQUIRED UNDER B(P)R28A	24	
MAX. AREA OF TBE ROOM (m²) REQUIRED THAT MAY BE EXEMPTED UNDER B(P)R 23(3)(b)	31	8.01
CLEAR HEIGHT OF TRE ROOM (m)	20	2.0

CLEAR HEIGHT OF THE ROOM (m) AS 8.01 m<sup>2</sup> (PROVIDED) < 24 m<sup>2</sup> (REQUIRED), MODIFICATION REQUIRED.

**RECORD PLAN** 

**AMENDMENT** 

CU REF. : HD(ICU)E3/103(N)AA(21)

FSD REF. : FP 8/10568 Pt.II

 The drawing & design are copyright and no portion may be reproduced without the written permission of the Architect. Use written dimensions or grid lines, Measurements to existing work to be checked 3. This drawing is to be read in conjunction with

the Architects specification & condition of 4. Drawing not showing the last revisions below are

to be cancelled. REMARKS:

> THE WORKS SHOWN ON THESE PLANS ARE TYPE II WORKS (BUILDING A&A) IN RESPECT OF WHICH CONSENT IS APPLIED FOR THE PURPOSE OF FAST TRACK CONSENT APPLICATION UNDER REGULATION 33 OF THE BUILDING (ADMINISTRATION) REGULATIONS.

PASSAGRAPHICA CO.			
Name and Address of the Owner, where	С	08-2022	GBP AMENDMENT
A CONTRACTOR OF THE PERSON NAMED IN	В	07-2022	GBP AMENDMENT
Name and Address of the Owner, where the Owner, which the Owner, where the Owner, where the Owner, where the Owner, which the	Α	12-2021	GBP AMENDMENT
COMMUNICATION	0	09-2021	GBP SUBMISSION

DESCRIPTIONS:

**REVISIONS:** 

NO.: DATE:




AUTHORIZED PERSON

BUILDING SERVICES ENGINEER



REGISTERED STRUCTURAL ENGINEER



QUANTITY SURVEYOR

OnS BIMIREAM Plus | Quantity Surveying | Risk Management Office £1, 29/F., TG Place, 10 Shing Yip Street, Kwun Tong, Kawloon Tel: 3702 1982 email. infections country website: www.new.com.lis

***************************************		<del></del>	
	NAME	SIGNED	DATE
DESIGNED :	KCL		08-2021
DRAWN :	KT		08-2021
CHECKED :	KL		08-2021
APPROVED :	KCL		08-2021

PROJECT BUILDING (A&A) WORKS


CONVERSION OF EX-SALVATION ARMY SAM SHING CHUEN LAU NG YING SCHOOL TO TRANSITIONAL HOUSING AT SAM SHING ESTATE, TUEN MUN, NEW TERRITORIES


Note: This plan has been processed on a curtailed check basis under the centralized processing system as promulgated in PNAP ADM-19. The duties of the authorized person, registered structural engineer and/or registered geotechnical engineer concerned as specified under section 4(3)(b) and the provision of section 14(2)(c) of the Buildings Ordinance are of particular relevance in this regard.


DRAWING TITLE : WINDOW AREA CALCULATION


JOB NO. : 729 DATE: 08-2021 DRAWING NO. : REV. : SCALE : GP-04


N.T.S. Y:\Acad1. Dwg\The Salvation Army 教世軍\729 - Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School\ICU Submission\TSA - GP-01-05 & 07\_Final Amendment (20220824).dwg































f(|) in HD(ICU)E3/103 aV) AA(21)-D pt.4





ICU REF. : HD(ICU)E3/103(N)AA(21

 The drawing & design are copyright and no portion may be reproduced without the written permission of the Architect.

2. Use written dimensions or grid lines.

Measurements to existing work to be checked on site.

This description 3. This drawing is to be read in conjunction with the Architects specification & condition of


	D	08-2022	GBP AMENDMENT
	С	07-2022	GBP AMENDMENT
	В	04-2022	GBP AMENDMENT
	Α	12-2021	GBP AMENDMENT
	0	09-2021	GBP SUBMISSION
- 1			


The Salvation Army

	-		THE RESERVE OF THE PROPERTY OF	
		NAME	SIGNED	DATE
DESIGNED :	:	KCL		08-2021
RAWN :		KT		08-2021
CHECKED :		KL		08-2021
PPROVED:		KCL		08-2021


DATE : 08-2021

Y:\Acad1. Dwg\The Salvation Army 教世軍\729 - Ex-Salvation Army Som Shing Chuen Lau Ng Ying School\ICU Submission\TSA-GP-16-19\_ELEV-Final Amendment (20220824).dwg





~ ~



ICU REF. : HD(ICU)E3/103(N)AA(21) FSD REF. : FP 8/10568 Pt.II

#### **Undertaking Letter**

Date: 12/10/2011

We (name in full) 救世軍 (Chinese) The Salvation Army (English) of (correspondence address) 11 Wing Sing Lane, Yaumatei, Kowloon, Hong Kong, Telephone No. 2332 4531, Fax No. 2385 4500, Business Registration Certificate No. 03387534-000, being the tenant of Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School at Sam Shing Estate, Tuen Mun would like to undertake the followings:

- (i) Supply of gas as defined under Gas Safety Ordinance (Cap 51) should not be provided to the domestic part of the building;
- (ii) Effective measures should be incorporated in the Deed of Mutual Covenant (DMC) to restrict the installation of gas supply to the domestic part of the building and delivery of liquefied petroleum gas (LPG) cylinders<sup>1</sup> to domestic units of the building. Where no DMC is to be in force for the development, the developer or owner should undertake to carry out such measures and provide such obligation in the Sales and Purchase Agreement and Assignment, and the relevant information in the tenancy agreement such that the future owners and tenants are aware of their liabilities and the restrictions respectively; and

(iii) Electric water heaters and electric/induction cookers should be in the domestic units prior to the application of occupation permit (Office Additional Control of Company)

Chan Tsui Heung-ying
(Name of representative)

General Secretary
(Position Held)

Excluding disposable LPG cylinder (i.e. cartridge) for the portable cassette cookers bearing GU mark granted by Electrical and Mechanical Services Department.

## **Undertaking Letter**

## for Non-profit Making Organisation / Institution (NPO)

Date: 12/10/2021

To the Building Authority

We (name in full) 救世軍 (Chinese) <u>The Salvation Army</u> (English) of (correspondence address) <u>11 Wing Sing Lane, Yaumatei, Kowloon, Hong Kong, Telephone No. 2332 4531, Fax No. 2385 4500, Business Registration Certificate No. 03387534-000, being the tenant of <u>Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School at Sam Shing Estate, Tuen Mun</u> as shown on the plan(s) drawing number <u>GP-01 – GP-21</u> submitted to ICU on <u>17 September 2021</u> at the Appendix of the Management Plan in item (b) below, undertake the following:</u>

- (a) We will arrange, and cause those employed to manage the Premises, for the purpose of non-profit making use as ["The Salvation Army"], to conduct the measures as stated in the attached Management Plan;
- (b) We will incorporate this undertaking letter and the associated permit granted by the Building Authority under section 42 of the Building Ordinance (the Permit) into every tenancy agreement with the occupants of the Premises?
- (c) We will appoint an Authorized Person registered under the Buildings Ordinance to carry but the necessary inspection annually and cause the submission of an annual inspection report by such . Authorized Person as imposed in the Permit;
- (d) the relevant parts of the Management Plan will be incorporated into the tenancy agreements with the occupants of the Premises;
- Le) a copy of the Management Plan will be properly displayed in a conspicuous position of the Premises for the attention of the Occupants at all times and
- (f) We will notity the Building Authority immediately upon our tenancy agreement with the owner is terminated.

- 2. We understand that we may be liable to prosecution under section 40(2)(b) of the Buildings Ordinance if we have breached or failed to perform any condition of a permit granted by the Building Authority under section 42 of the Buildings Ordinance in relation to the proposed works as shown on the plan(s) mentioned in paragraph 1 above.
- 3. We understand that contravention of any condition of the permit mentioned in paragraph 2 above or expiry/termination of tenancy between me/us and the owner will render the permit invalid and the Premises should then be reinstated in accordance with the approved plans or to a state that fully complies with the Buildings Ordinance and regulations.
- 4. We understand that the Building Authority may issue an order under sections 24 or 24AA of the Buildings Ordinance if any condition of the permit mentioned in paragraph 2 above is not complied with resulting in contravention of the Buildings Ordinance or its subsidiary regulations. As a result, the Premises shall be reinstated as specified in the order.

(Signature of representative with company chop)

TSUI HEUNG YING

(Name of representative)

SECRETARY FOR PROGRAMME

(Position held)

## **Management Plan for**

## Transitional Housing Initiatives in Domestic Buildings

## (Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School at Sam Shing Estate, Tuen Mun)

Implemented and observed by the main tenant, the operator and all subtenants / occupiers of the premises

Main Tenant's Name:	The Salvation Army
Signature:	DE STATE OF THE PARTY OF THE PA
Date:	15 Sept 2021
	V
Operator's Name:	The Salvation Army
Signature:	到多方面
Date:	15 Sept 2021

#### **Table of Contents**

- 1. The Premises
- 2. Exemptions/Modifications with reference to the Building Ordinance and Subsidiary Regulations Sought
- 3. Management of the Premises
- 4. Annual Inspection of the Premises

Appendix – Layout Plan of the Premises

## 1. The Premises

Address of the premises	Transitional Housing at Ex-Salvation Army Sam Shing Chuen Lau Ng Ying School at Sam Shing Estate, Tuen Mun			
Name of main tenant of the premises	The Salvation Army			
Name of operator of the premises	The Salvation Army			
Use of the premises	Domestic Flat			
Proposed Subdivision of the premises	Use of subdivided areas	Usable floor area		
	(a) Communal Living Area	$12.77 \text{ m}^2 - 23.98 \text{ m}^2$		
	(b) Bathroom	$2.56 \text{ m}^2 - 4.45 \text{ m}^2$		
	(c) Pantry	2.55 m <sup>2</sup>		
Layout plan of the premises	Attached at the Appendix			

## 2. Exemptions/Modifications of the Building Ordinance and Subsidiary Regulations Sought

Relevant Regulations	Description of exemption/modification sought	Location	Remarks
B(P)R 36	To permit omission of natural lighting and ventilation in bathroom	(i) All bathrooms (Excluding Unit 15-16) (ii) Male and Accessible Lavatories at G/F	Artificial lighting and mechanical ventilation at a rate of not less than 5 ACH to be provided to the satisfaction of ICU
B(P)R 45	To permit non- provision of kitchen	All units	<ul> <li>No cooking facilities with naked flame to be installed or used in the premises</li> <li>A standalone smoke detector to be installed near the pantry</li> </ul>
B(P)R 28A	To permit reduce the area of TBE room	TBE room	Single     Telecommunication     service provider
B(P)R 35A	To permit omission of gas aperture	All bathrooms	Electric water heater to be provided
B(P)R 20,21 and 25	To permit omission of provision of non-domestic SC/PR/open space		No involve change
B(P)R 30	To permit the natural lighting and ventilation in management office	Management office at G/F	Artificial lighting and mechanical ventilation at a rate of not less than 5 ACH to be provided to the satisfaction of ICU

#### 3. Management of the Premises

- 3.1. The following clauses should be incorporated in the tenancy agreement between the main tenant, operator and the sub-tenants of the premises:
  - (a) The communal living area/communal bathroom/communal pantry should be maintained as shown on the approved plans.
  - (b) The artificial lighting, mechanical ventilation systems and permanent vents should be kept in good functioning condition.
  - (c) Cooking facilities with naked flame in the premises are prohibited to be installed or used.
  - (d) No alteration should be carried out to the layout including walls, doors and windows (including their glazing and openable sashes), artificial lighting, mechanical ventilation systems, permanent vents, electric water heaters, pantry and fire services installations or equipment of the premises.
  - (e) Access by the agent of the owner, main tenant or operator for inspection, maintenance and repair of any part of the premises should be provided by the sub-tenants at reasonable time.
- 3.2. The main tenant should arrange proper repair and maintenance of the premises, including arranging repair of the artificial lighting, mechanical ventilation systems and fire service installations and equipment if any of such is out of order.
- 3.3.A notice listing the requirements in paragraph 3.1 above should be displayed in a conspicuous position of the premises.

## 4. Annual Inspection of the Premises

- 4.1.An Authorized Person registered under the Building Ordinance should be appointed by the main tenant to inspect the premises in the capacity of an AP annually and to submit the inspection certificate to the ICU.
- 4.2.A registered fire service installation contractor shall be appointed by the main tenant pursuant to the Fire Service (Installations and Equipment) Regulations to inspect and certify annually the fire service installations and equipment installed in the premises including standalone smoke detector.